

EC DECLARATION OF CONFORMITY

BOWA-electronic GmbH & Co. KG
Heinrich-Hertz Strasse 4-10
72810 Gomaringen / Germany

We hereby declare in sole responsibility that the medical devices listed on the following pages
are conform with the essential requirements of the following standard:

Medical Device Directive (Council Directive 93/42/EEC of 14 June 1993)

with applied standards:

EN ISO 14971 / EN 60601-1 / EN 60601-2-2 / EN ISO 10993-1 / EN ISO 13485 / DIN EN 1041

CE Marking

Class IIb according to annex II CE 0123


Notified Body

TÜV Product Service
Ridlerstr. 65, D-80339 München
Nr. 0123

The declaration of conformity is valid until: 08.03.2022

Gomaringen, 08.03.2017

Quality Management /
Regulatory Affairs



(Wolf-Rüdiger Fritz)

REF	Product description	Class	Rule	UMDNS	GMDN
040-400	Generator trunk, for BOWA ARC (without generator)	IIb	9	15-895	44683
040-401	ARC 400 Starter Set	IIb	9	15-895	44683
040-402	Argon trunk for ARC PLUS (without argon unit)	IIb	9	15-895	44683
050-240	COMFORT BOX (4 mm)	IIb	9	15-895	44683
050-241	COMFORT BOX (2.4 mm)	IIb	9	15-895	44683
050-242	COMFORT BOX	IIb	9	15-895	44683
104-045	ErgoPEN slim, 2 switches, shaft 4 mm, for Erbe, cable 4.5 m	IIb	9	11-494	44680
105-045	ErgoPEN slim, 2 switches, shaft 2.4 mm, for Erbe, cable 4.5 m	IIb	9	11-494	44680
110-045	ErgoPEN large, 2 switches, shaft 4 mm, for Erbe, cable 4.5 m	IIb	9	11-494	44680
112-045	ErgoPEN large, 2 switches, shaft 4 mm, for Erbe-T, cable 4.5 m	IIb	9	11-494	44680
120-045	JackKNIFE, 2 switches, shaft 2.4 mm, for Erbe, cable 4.5 m	IIb	9	11-494	44680
120-145	JackKNIFE, 2 switches, shaft 4 mm, for Erbe, cable 4.5 m	IIb	9	11-494	44680
214-045	ErgoPEN slim, 2 switches, shaft 4 mm, for Martin, cable 4.5 m	IIb	9	11-494	44680
215-045	ErgoPEN slim, 2 switches, shaft 4 mm, for 3-pin, cable 4.5 m	IIb	9	11-494	44680
215-145	ErgoPEN slim, 2 switches, shaft 4 mm, COMFORT, cable 4.5 m	IIb	9	11-494	44680
218-045	ErgoPEN slim, 2 switches, shaft 2.4 mm, for 3-pin, cable 4.5 m	IIb	9	11-494	44680
218-145	<i>ErgoPEN slim, 2 switches, shaft 2.4 mm, COMFORT, cable 4.5 m</i>	IIb	9	11-494	44680
220-045	JackKNIFE, 2 switches, shaft 2.4 mm, for 3-pin, cable 4.5 m	IIb	9	11-494	44680
220-145	JackKNIFE, 2 switches, shaft 4 mm, for 3-pin, cable 4.5 m	IIb	9	11-494	44680
220-245	JackKNIFE, 2 switches, shaft 4 mm, for Martin, cable 4.5 m	IIb	9	11-494	44680
220-345	JackKNIFE ARC 100, shaft 2.4 mm with cable for bipolar forceps 4 m	IIb	9	11-494	44680
227-045	ErgoPEN large, 2 switches, shaft 4 mm, for Martin, cable 4.5 m	IIb	9	11-494	44680
322-045	ErgoPEN large, 2 switches, shaft 4 mm, for 3-pin, cable 4.5 m	IIb	9	11-494	44680
327-045	ErgoPEN large, 2 switches, shaft 2.4 mm, for 3-pin, cable 4.5 m	IIb	9	11-494	44680
500-000	Electrode container, 12 standard electrodes, shaft 4 mm	IIb	9	15-895	44683
500-007	Knife electrode, straight, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-008	Knife electrode, angled, rhombic, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-009	Knife electrode, straight, rhombic, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-011	Needle electrode, straight, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-014	Wire loop electrode, Ø 5 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-015	Wire loop electrode, Ø 10 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-016	Wire loop electrode, Ø 14 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-017	Ribbon loop electrode, Ø 10 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-018	Ribbon loop electrode, Ø 17 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-019	Ball electrode, straight, Ø 1.5 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-020	Ball electrode, straight, Ø 2 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-021	Ball electrode, straight, Ø 4 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-022	Ball electrode, straight, Ø 6 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-023	Plate electrode, 8 x 10 mm, shaft 4 mm	IIb	9	11-499	44683
500-024	Plate electrode, straight, 10 x 15 mm, shaft 4 mm	IIb	9	11-499	44683
500-112	Micro needle electrode, tungsten wire, straight, shaft 4 mm	IIb	9	11-499	44683
500-113	Micro needle electrode, tungsten wire, angled, shaft 4 mm	IIb	9	11-499	44683
500-124	Needle electrode, 45° angled, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-125	Lancet electrode, angled, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-126	Lancet electrode, straight, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683

REF	Product description	Class	Rule	UMDNS	GMDN
500-127	Knife electrode, thin, straight, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-129	Ball electrode, angled, Ø 1.5 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-130	Ball electrode, angled, Ø 2 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-131	Ball electrode, angled, Ø 4 mm, shaft 4 mm (5 pcs.)	IIb	9	11-499	44683
500-150	Electrode extension, 172 mm, shaft 4 mm	IIb	9	11-499	44683
510-108	Needle electrode, arthroscopy, 90 ° angled, 1.5 x 0.8 mm	IIb	9	16-206	44683
510-109	Needle electrode, arthroscopy, 90 ° angled, 4 x 0.8 mm	IIb	9	16-206	44683
510-110	Knife electrode, arthroscopy, 45 ° angled, 3 x 1.5 mm	IIb	9	16-206	44683
510-112	Keying electrode, arthroscopy, 90 ° angled, 3 x 1.5 mm	IIb	9	16-206	44683
520-027	Needle electrode, straight, 136 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-028	Knife electrode, straight, 154 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-029	Ball electrode, straight, Ø 4 mm, 122 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-030	Ball electrode, straight, Ø 6 mm, 124 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-031	Wire loop electrode, straight, Ø 5 mm, 123 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-032	Wire loop electrode, straight, Ø 10 mm, 128 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-035	Ball electrode, angled, Ø 6 mm, 124 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-110	MetraLOOP set	IIb	9	11-499	44683
520-113	MetraLOOP, inner shaft	IIb	9	11-499	44683
520-114	MetraLOOP, outer shaft	IIb	9	11-499	44683
520-115	MetraLOOP set, COMFORT	IIb	9	11-499	44683
520-116	MetraLOOP, COMFORT, inner shaft	IIb	9	11-499	44683
520-117	MetraLOOP, spare loops, Ø 100 mm, single use, sterile (10 pcs.)	IIb	9	11-499	44684
520-118	MetraLOOP, spare loops, Ø 175 mm, single use, sterile (10 pcs.)	IIb	9	11-499	44684
520-122	Needle electrode, angled, 132 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-123	Knife electrode, angled, rhombic, 142 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-124	Knife electrode, straight, rhombic, 142 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-132	Loop electrode, 20 x 20 mm, 138 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-133	Loop electrode, 20 x 15 mm, 133 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-134	Loop electrode, 10 x 10 mm, 128 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-135	Loop electrode, 15 x 15 mm, 133 mm, insulated shaft 4 mm	IIb	9	11-499	44683
520-136	Loop electrode, 25 x 25 mm, 143 mm, insulated shaft 4 mm	IIb	9	11-499	44683
530-000	Electrode container, 12 standard electrodes, shaft 2.4 mm	IIb	9	15-895	44683
530-008	Knife electrode, angled, rhombic, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-009	Knife electrode, straight, rhombic, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-012	Micro needle electrode, tungsten wire, straight, shaft 2.4 mm	IIb	9	11-499	44683
530-013	Micro needle electrode, tungsten wire, angled, shaft 2.4 mm	IIb	9	11-499	44683
530-014	Wire loop electrode, Ø 5 mm, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-015	Wire loop electrode, Ø 10 mm, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-016	Wire loop electrode, Ø 14 mm, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-017	Ribbon loop electrode, Ø 10 mm, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-020	Ball electrode, straight, Ø 2 mm, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-021	Ball electrode, straight, Ø 4 mm, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-022	Ball electrode, straight, Ø 6 mm, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-027	Needle electrode, straight, 140 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-028	Knife electrode, straight, 152 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683

REF	Product description	Class	Rule	UMDNS	GMDN
530-029	Ball electrode, Ø 4 mm, 126 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-030	Ball electrode, Ø 6 mm, 128 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-032	Wire loop electrode, Ø 10 mm, 132 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-035	Ball electrode, d=6 mm, angled, 128 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-070	Electrode extension, 105 mm, shaft 2.4 mm	IIb	9	11-499	44683
530-122	Needle electrode, angled, 136 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-123	Knife electrode, angled, rhombic, 146 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-124	Needle electrode, angled, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-125	Lancet electrode, angled, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-126	Lancet electrode, straight, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-127	Knife electrode, thin, straight, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-130	Ball electrode, Ø 2 mm, angled, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-132	Loop electrode, 20 x 20 mm, 142 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-133	Loop electrode, 20 x 15 mm, 137 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-134	Loop electrode, 10 x 10 mm, 132 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-135	Loop electrode, 15 x 15 mm, 137 mm, insulated shaft 2,4 mm	IIb	9	11-499	44683
530-136	Loop electrode, 25 x 25 mm, 147 mm, insulated shaft 2,4 mm	IIb	9	11-499	44683
530-150	Electrode extension, 175 mm, shaft 2.4 mm	IIb	9	11-499	44683
530-207	Knife electrode, straight, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-211	Needle electrode, straight, shaft 2.4 mm (5 pcs.)	IIb	9	11-499	44683
530-224	Knife electrode, rhombic, 146 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
530-225	Needle electrode ENT, angled, 124 mm, insulated shaft 2.4 mm	IIb	9	11-499	44683
605-001	Bipolar forceps, angled, 195 mm, 8 mm x 1 mm	IIb	9	11-502	44683
605-002	Bipolar forceps, bayonet, 195 mm, 6 mm x 1 mm	IIb	9	11-502	44683
605-007	Bipolar forceps, angled, 195 mm, 8 mm x 2 mm	IIb	9	11-502	44683
605-011	Bipolar forceps, straight, 160 mm, 6 mm x needle	IIb	9	11-502	44683
605-013	Bipolar forceps, angled, 160 mm, 6 mm x 0.5 mm	IIb	9	11-502	44683
605-014	Bipolar forceps, angled, 160 mm, 6 mm x 1 mm	IIb	9	11-502	44683
605-018	Bipolar forceps, bayonet, 165 mm, 6 mm x 1 mm	IIb	9	11-502	44683
605-019	Bipolar forceps, straight, 110 mm, 6 mm x needle	IIb	9	11-502	44683
605-020	Bipolar forceps, straight, 110 mm, 6 mm x 0.5 mm	IIb	9	11-502	44683
605-021	Bipolar forceps, angled, 110 mm, 6 mm x 0.5 mm	IIb	9	11-502	44683
605-023	Bipolar forceps, angled, 110 mm, 6 mm x needle	IIb	9	11-502	44683
605-024	Bipolar forceps, angled, 220 mm, 8 mm x 1 mm	IIb	9	11-502	44683
605-027	Bipolar forceps, straight, 160 mm, 8 mm x 2 mm	IIb	9	11-502	44683
605-029	Bipolar forceps, straight, 195 mm, 8 mm x 2 mm	IIb	9	11-502	44683
605-030	Bipolar forceps, straight, 220 mm, 8 mm x 2 mm	IIb	9	11-502	44683
605-031	Bipolar forceps, bayonet, 220 mm, 6 mm x 0.5 mm	IIb	9	11-502	44683
605-033	Bipolar forceps, bayonet, 165 mm, 6 mm x 0.5 mm	IIb	9	11-502	44683
605-034	Bipolar forceps, bayonet, 195 mm, 8 mm x 2 mm	IIb	9	11-502	44683
605-036	Bipolar forceps, angled, 160 mm, 6 mm x needle	IIb	9	11-502	44683
605-039	Bipolar forceps, straight, 160 mm, 8 mm x 1 mm	IIb	9	11-502	44683
605-040	Bipolar forceps, straight, 195 mm, 8 mm x 1 mm	IIb	9	11-502	44683
605-041	Bipolar forceps, straight, 220 mm, 8 mm x 1 mm	IIb	9	11-502	44683
605-057	Bipolar forceps, straight, 195 mm, 8 mm x 2 mm, square ruffle	IIb	9	11-502	44683

REF	Product description	Class	Rule	UMDNS	GMDN
605-058	Bipolar forceps, angled, 195 mm, 8 mm x 2 mm, square ruffle	IIb	9	11-502	44683
605-059	Bipolar forceps, bayonet, 195 mm, 8 mm x 2 mm, square ruffle	IIb	9	11-502	44683
605-063	Bipolar forceps, bayonet, angled, 220 mm, 6 mm x 1 mm	IIb	9	11-502	44683
605-070	Bipolar forceps, straight, 300 mm, 8 mm x 2 mm	IIb	9	11-502	44683
605-080	Bipolar forceps, straight, 270 mm, 8 mm x 2 mm	IIb	9	11-502	44683
607-001	Bipolar forceps, NON-Stick-Gold, angled, 195 mm, 8 mm x 1 mm	IIb	9	11-502	44683
607-002	Bipolar forceps, NON-Stick-Gold, bayonet, 195 mm, 6 mm x 1 mm	IIb	9	11-502	44683
607-007	Bipolar forceps, NON-Stick-Gold, angled, 195 mm, 8 mm x 2 mm	IIb	9	11-502	44683
607-014	Bipolar forceps, NON-Stick-Gold, angled, 160 mm, 6 mm x 1 mm	IIb	9	11-502	44683
607-020	Bipolar forceps, NON-Stick-Gold, straight, 110 mm, 6 mm x 0.5 mm	IIb	9	11-502	44683
607-021	Bipolar forceps, NON-Stick-Gold, angled, 110 mm, 6 mm x 0.5 mm	IIb	9	11-502	44683
607-027	Bipolar forceps, NON-Stick-Gold, straight, 160 mm, 8 mm x 2 mm	IIb	9	11-502	44683
607-029	Bipolar forceps, NON-Stick-Gold, straight, 195 mm, 8 mm x 2 mm	IIb	9	11-502	44683
607-030	Bipolar forceps, NON-Stick-Gold, straight, 220 mm, 8 mm x 2 mm	IIb	9	11-502	44683
607-039	Bipolar forceps, NON-Stick-Gold, straight, 160 mm, 8 mm x 1 mm	IIb	9	11-502	44683
607-040	Bipolar forceps, NON-Stick-Gold, straight, 195 mm, 8 mm x 1 mm	IIb	9	11-502	44683
607-080	Bipolar forceps, NON-Stick-Gold, straight, 270 mm, 8 mm x 2 mm	IIb	9	11-502	44683
607-101	Bipolar forceps, NON-Stick-Gold, bayonet, 180 mm, 0,3 mm	IIb	9	11-502	44683
607-102	Bipolar forceps, NON-Stick-Gold, bayonet, 200 mm, 0,3 mm	IIb	9	11-502	44683
607-103	Bipolar forceps, NON-Stick-Gold, bayonet, 220 mm, 0,3 mm	IIb	9	11-502	44683
607-110	Bipolar forceps, NON-Stick-Gold, bayonet, 180 mm, 1,0 mm	IIb	9	11-502	44683
607-111	Bipolar forceps, NON-Stick-Gold, bayonet, 200 mm, 1,0 mm	IIb	9	11-502	44683
607-130	Bipolar forceps, NON-Stick-Gold, straight, 220 mm, 0,3 mm	IIb	9	11-502	44683
607-190	Bipolar forceps, NON-Stick-Gold, round handle, angled, 225 mm, 1,0 mm	IIb	9	11-502	44683
607-100	Bipo. forceps, NON-Stick-Gold, bayonet, 160 mm, 0,3 mm	IIb	9	11-502	44683
607-105	Bipo. forceps, NON-Stick-Gold, bayonet, 160 mm, 0,6 mm	IIb	9	11-502	44683
607-106	Bipo. forceps, NON-Stick-Gold, bayonet, 180 mm, 0,6 mm	IIb	9	11-502	44683
607-107	Bipo. forceps, NON-Stick-Gold, bayonet, 200 mm, 0,6 mm	IIb	9	11-502	44683
607-108	Bipo. forceps, NON-Stick-Gold, bayonet, 220 mm, 0,6 mm	IIb	9	11-502	44683
607-112	Bipo. forceps, NON-Stick-Gold, bayonet, 220 mm, 1 mm	IIb	9	11-502	44683
607-113	Bipo. forceps, NON-Stick-Gold, bayonet, 240 mm, 1 mm	IIb	9	11-502	44683
607-115	Bipo. forceps, NON-Stick-Gold, bayonet, 200 mm, 2 mm	IIb	9	11-502	44683
607-116	Bipo. forceps, NON-Stick-Gold, bayonet, 220 mm, 2 mm	IIb	9	11-502	44683
607-120	Bipo. forceps, NON-Stick-Gold, bayonet, angled up, 200 mm, 1 mm	IIb	9	11-502	44683
607-121	Bipo. forceps, NON-Stick-Gold, bayonet, angled up, 220 mm, 1 mm	IIb	9	11-502	44683
607-122	Bipo. forceps, NON-Stick-Gold, bayonet, angled down, 200 mm, 1 mm	IIb	9	11-502	44683
607-123	Bipo. forceps, NON-Stick-Gold, bayonet, angled down, 220 mm, 1 mm	IIb	9	11-502	44683
607-140	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 180 mm, 0,3 mm	IIb	9	11-502	44683
607-141	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 200 mm, 0,3 mm	IIb	9	11-502	44683
607-145	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 180 mm, 0,6 mm	IIb	9	11-502	44683
607-146	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 200 mm, 0,6 mm	IIb	9	11-502	44683
607-147	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 225 mm, 0,6 mm	IIb	9	11-502	44683
607-150	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 180 mm, 1 mm	IIb	9	11-502	44683
607-151	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 200 mm, 1 mm	IIb	9	11-502	44683
607-152	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 225 mm, 1 mm	IIb	9	11-502	44683

REF	Product description	Class	Rule	UMDNS	GMDN
607-153	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 240 mm, 1 mm	IIb	9	11-502	44683
607-170	Bipo. forceps, NON-Stick-Gold, round handle, straight, 155 mm, 0,3 mm	IIb	9	11-502	44683
607-171	Bipo. forceps, NON-Stick-Gold, round handle, straight, 180 mm, 0,3 mm	IIb	9	11-502	44683
607-175	Bipo. forceps, NON-Stick-Gold, round handle, straight, 155 mm, 0,6 mm	IIb	9	11-502	44683
607-176	Bipo. forceps, NON-Stick-Gold, round handle, straight, 180 mm, 0,6 mm	IIb	9	11-502	44683
607-177	Bipo. forceps, NON-Stick-Gold, round handle, straight, 200 mm, 0,6 mm	IIb	9	11-502	44683
607-180	Bipo. forceps, NON-Stick-Gold, round handle, straight, 180 mm, 1 mm	IIb	9	11-502	44683
607-181	Bipo. forceps, NON-Stick-Gold, round handle, straight, 225 mm, 1 mm	IIb	9	11-502	44683
607-182	Bipo. forceps, NON-Stick-Gold, round handle, straight, 225 mm, 1 mm	IIb	9	11-502	44683
607-185	Bipo. forceps, NON-Stick-Gold, round handle, straight, 200 mm, 2 mm	IIb	9	11-502	44683
607-186	Bipo. forceps, NON-Stick-Gold, round handle, straight, 225 mm, 2 mm	IIb	9	11-502	44683
610-016	Monopolar forceps, bayonet, 195 mm, 8 mm x 2 mm	IIb	9	11-502	44683
610-017	Monopolar forceps, straight, 195 mm, 8 mm x 2 mm	IIb	9	11-502	44683
610-018	Monopolar forceps, straight, 195 mm, 8 mm x 1 mm	IIb	9	11-502	44683
610-019	Monopolar forceps, straight, 220 mm, 8 mm x 2 mm	IIb	9	11-502	44683
610-021	Monopolar forceps, straight, 220 mm, 8 mm x 1 mm	IIb	9	11-502	44683
610-025	Monopolar forceps, straight , 270 mm, 8 mm x 2 mm	IIb	9	11-502	44683
612-018	Monopolar forceps, anatomic, 180 mm, 18 mm x 2 mm	IIb	9	11-502	44683
612-021	Monopolar forceps, anatomic, 200 mm, 18 mm x 2.2 mm	IIb	9	11-502	44683
612-025	Monopolar forceps, anatomic, 250 mm, 18 mm x 2.4 mm	IIb	9	11-502	44683
612-118	Monopolar forceps, surgical, 180 mm, 18 mm x 2 mm	IIb	9	11-502	44683
612-121	Monopolar forceps, surgical, 200 mm, 18 mm x 2.2 mm	IIb	9	11-502	44683
612-125	Monopolar forecpts, surgical, 250 mm, 18 mm x 2.4 mm	IIb	9	11-502	44683
700-003	LAP electrode, spatula, 360 mm	IIb	9	16-206	44683
700-004	LAP electrode, strong hook, 360 mm	IIb	9	16-206	44683
700-005	LAP electrode, thin hook, 360 mm	IIb	9	16-206	44683
700-006	LAP electrode, needle, 360 mm	IIb	9	16-206	44683
710-003	LAP electrode, spatula, suction / irrigation tube, sealing cap, 360 mm	IIb	9	16-206	44683
710-004	LAP electr., strong hook, suct. / irrigation tube, sealing cap, 360 mm	IIb	9	16-206	44683
710-005	LAP electr., thin hook, suction / irrigation tube, sealing cap, 360 mm	IIb	9	16-206	44683
710-006	LAP electrode, needle, suction / irrigation tube, sealing cap, 360 mm	IIb	9	16-206	44683
720-000	ErgoLAP MONOPOLAR, handle	IIb	9	11-502	42553
721-301	ErgoLAP MONOPOLAR, jaw, forceps, 360 mm	IIb	9	11-502	42553
721-302	ErgoLAP MONOPOLAR, jaw, DeBakey, 360 mm	IIb	9	11-502	42553
721-303	ErgoLAP MONOPOLAR, jaw, Babcock, 360 mm	IIb	9	11-502	42553
721-304	ErgoLAP MONOPOLAR, jaw, Metzenbaum, 360 mm	IIb	9	11-502	42553
721-306	ErgoLAP MONOPOLAR, jaw, hook scissors, 360 mm	IIb	9	11-502	42553
721-307	ErgoLAP MONOPOLAR, jaw, Dorsey, 360 mm	IIb	9	11-502	42553
721-308	ErgoLAP MONOPOLAR, jaw, Fundus, 360 mm	IIb	9	11-502	42553
721-309	ErgoLAP MONOPOLAR, jaw, Maryland, 360 mm	IIb	9	11-502	42553
721-310	ErgoLAP MONOPOLAR, jaw, Alligator, 360 mm	IIb	9	11-502	42553
722-530	ErgoLAP MONOPOLAR, shaft tube, 360 mm	IIb	9	11-502	42553
736-005	ErgoLAP MONO., handle, shaft tube, sealing spare parts, 360 mm	IIb	9	11-502	42553

REF	Product description	Class	Rule	UMDNS	GMDN
741-100	ERGO 320R, handle, COMFORT, cable, 4.5 m	IIb	9	11-502	61873
741-101	ERGO 320R, handle	IIb	9	11-502	61873
741-234	ERGO 320R, shaft tube, ø 5 mm, 340 mm	IIb	9	11-502	61873
741-812	ERGO 320R Set, atraumatic grasping forceps, 340 mm, COMFORT	IIb	9	11-502	61873
741-814	ERGO 320R Set, atraumatic grasping forceps, 340 mm	IIb	9	11-502	61873
741-822	ERGO 320R Set, grasping forceps, fenestrated, curved, 340 mm, COMFORT	IIb	9	11-502	61873
741-823	ERGO 320R Set, grasping forceps, fenestrated, curved, 340 mm	IIb	9	11-502	61873
741-827	ERGO 320R Set, grasping forceps with 2x3 teeth, 340 mm, COMFORT	IIb	9	11-502	61873
741-828	ERGO 320R Set, grasping forceps with 2x3 teeth, 340 mm	IIb	9	11-502	61873
741-832	ERGO 320R Set, Metzenbaum scissors, 340 mm, COMFORT	IIb	9	11-502	61873
741-833	ERGO 320R Set, Metzenbaum scissors, 340 mm	IIb	9	11-502	61873
741-842	ERGO 320R Set, Maryland dissector, 340 mm, COMFORT	IIb	9	11-502	61873
741-843	ERGO 320R Set, Maryland dissector, 340 mm	IIb	9	11-502	61873
742-106	ERGO 325R, handle, rotatable, with lock	IIb	9	11-502	61873
742-234	ERGO 325R, shaft tube, ø 5 mm, 340 mm	IIb	9	11-502	61873
742-310	ERGO 320R/325R, jaw atraumatic grasping forceps, fenestrated, 340 mm	IIb	9	11-502	61873
742-320	ERGO 320R/325R, jaw grasping forceps, fenestrated, curved, 340 mm	IIb	9	11-502	61873
742-330	ERGO 320R/325R, jaw Metzenbaum scissors, 340 mm	IIb	9	11-502	61873
742-340	ERGO 320R/325R, jaw Maryland dissector, 340 mm	IIb	9	11-502	61873
742-350	ERGO 320R/325R, jaw grasping forceps with 2x3 teeth, 340 mm	IIb	9	11-502	61873
742-816	ERGO 325R Set, atraumatic grasping forceps, 340 mm, rotatable, with lock	IIb	9	11-502	61873
742-826	ERGO 325R Set, grasp. forceps, fenest., curved, 340 mm, rotatable, with lock	IIb	9	11-502	61873
742-829	ERGO 325R Set, grasp. forceps with 2x3 teeth, 340 mm, rotatable, with lock	IIb	9	11-502	61873
742-836	ERGO 325R Set, Metzenbaum scissors, 340 mm, rotatable, with lock	IIb	9	11-502	61873
742-846	ERGO 325R Set, Maryland dissector, 340 mm, rotatable, with lock	IIb	9	11-502	61873
743-100	ERGO 330R, handle, COMFORT, cable, 4.5 m	IIb	9	11-502	61873
743-101	ERGO 330R, handle	IIb	9	11-502	61873
743-225	ERGO 330R, shaft tube, ø 5 mm, 250 mm	IIb	9	11-502	61873
743-234	ERGO 330R, shaft tube, ø 5 mm, 340 mm	IIb	9	11-502	61873
743-325	ERGO 330R, jaw, 250 mm	IIb	9	11-502	61873
743-334	ERGO 330R, jaw, 340 mm	IIb	9	11-502	61873
743-425	ERGO 330R, drive rod, 250 mm	IIb	9	11-502	61873
743-434	ERGO 330R, drive rod, 340 mm	IIb	9	11-502	61873
743-525	ERGO 330R, blade holding tube, 250 mm	IIb	9	11-502	61873
743-534	ERGO 330R, blade holding tube, 340 mm	IIb	9	11-502	61873
743-851	ERGO 330R Set, coagulation forceps with cutting blade, 340 mm, COMFORT	IIb	9	11-502	61873
743-852	ERGO 330R Set, coagulation forceps with cutting blade, 340 mm	IIb	9	11-502	61873
743-853	ERGO 330R Set, coagulation forceps with cutting blade, 340 mm	IIb	9	11-502	61873
743-854	ERGO 330R Set, coagulation forceps with cutting blade, 250 mm	IIb	9	11-502	61873
743-999	ERGO 330R, blade, sterile (20 pcs.)	IIb	9	11-502	61873
744-100	ERGO 335R, handle, COMFORT, cable, 4.5 m	IIb	9	11-502	61873
744-101	ERGO 335R, handle	IIb	9	11-502	61873
744-220	ERGO 335R, Schaftrohr, ø 3 mm, 200 mm	IIb	9	11-502	61873

REF	Product description	Class	Rule	UMDNS	GMDN
744-229	ERGO 335R, shaft tube, ø 3 mm, 290 mm	IIb	9	11-502	61873
744-312	ERGO 335R, jaw atraumatic grasping forceps, fenestrated, 200 mm	IIb	9	11-502	61873
744-313	ERGO 335R, Maulteil atraumatische Fassung, gefenestert, 290 mm	IIb	9	11-502	61873
744-342	ERGO 335R, jaw Maryland dissector, 200 mm	IIb	9	11-502	61873
744-343	ERGO 335R, Maulteil Maryland Dissektor, 290 mm	IIb	9	11-502	61873
744-812	ERGO 335R Set, atraumatic grasping forceps, ø 3 mm, 290 mm, COMFORT	IIb	9	11-502	61873
744-813	ERGO 335R Set, atraumatic grasping forceps, ø 3 mm, 200 mm, COMFORT	IIb	9	11-502	61873
744-815	ERGO 335R Set, atraumatic grasping forceps, ø 3 mm, 290 mm	IIb	9	11-502	61873
744-816	ERGO 335R Set, atraumatic grasping forceps, ø 3 mm, 200 mm	IIb	9	11-502	61873
744-844	ERGO 335R Set, Maryland dissector, ø 3 mm, 290 mm, COMFORT	IIb	9	11-502	61873
744-845	ERGO 335R Set, Maryland dissector, ø 3 mm, 200 mm, COMFORT	IIb	9	11-502	61873
744-847	ERGO 335R Set, Maryland dissector, ø 3 mm, 290 mm	IIb	9	11-502	61873
744-848	ERGO 335R Set, Maryland dissector, ø 3 mm, 200 mm	IIb	9	11-502	61873
750-000	ErgoLAP BIPOLAR, handle	IIb	9	11-502	42553
750-033	ErgoLAP BIPOLAR, handle, shaft tube, sealing spare parts, 330 mm	IIb	9	11-502	42553
751-033	ErgoLAP BIPOLAR, jaw, Hirsch, 330 mm	IIb	9	11-502	42553
752-033	ErgoLAP BIPOLAR, jaw, Kleppinger, 330 mm	IIb	9	11-502	42553
753-033	ErgoLAP BIPOLAR, jaw, tweezers, 330 mm	IIb	9	11-502	42553
754-033	ErgoLAP BIPOLAR, jaw, micro-tweezers, 330 mm	IIb	9	11-502	42553
755-033	ErgoLAP BIPOLAR, outer shaft tube, 330 mm	IIb	9	11-502	42553
756-033	ErgoLAP BIPOLAR, inner shaft tube, 330 mm	IIb	9	11-502	42553
760-033	ErgoLAP BIPOLAR, jaw, NON-Stick CUT, knife-shaped, 330 mm	IIb	9	11-502	42553
760-119	TissueSeal PLUS, 190 mm	IIb	9	11-502	42553
760-123	TissueSeal PLUS, 230 mm	IIb	9	11-502	42553
760-128	TissueSeal PLUS, 280 mm	IIb	9	11-502	42553
760-216	TissueSeal PLUS COMFORT, 160 mm, cable 4.5 m	IIb	9	11-502	42553
760-219	TissueSeal PLUS COMFORT, 190 mm, cable 4.5 m	IIb	9	11-502	42553
760-223	TissueSeal PLUS COMFORT, 230 mm, cable 4.5 m	IIb	9	11-502	42553
760-228	TissueSeal PLUS COMFORT, 280 mm, cable 4.5 m	IIb	9	11-502	42553
760-319	TissueSeal handle, COMFORT 190 mm, cable 4.5 m	IIb	9	11-502	42553
760-323	TissueSeal handle, COMFORT 230 mm, cable 4.5 m	IIb	9	11-502	42553
760-328	TissueSeal handle, COMFORT 280 mm, cable 4.5 m	IIb	9	11-502	42553
761-033	ErgoLAP BIPOLAR, jaw, NON-Stick CUT, wedge-shaped, 330 mm	IIb	9	11-502	42553
770-000	NightKNIFE + LIGATOR, handle, COMFORT, cable 4.5 m	IIb	9	11-502	42553
770-036	LIGATOR, handle, shaft tube, sealing spare parts, 360 mm, COMFORT	IIb	9	11-502	42553
770-200	NightKNIFE set, 200 mm, COMFORT	IIb	9	11-502	42553
770-201	NightKNIFE set, exchangeable knife, 200 mm, COMFORT	IIb	9	11-502	42553
770-211	LIGATOR, shaft tube, 110 mm	IIb	9	11-502	42553
770-236	LIGATOR, shaft tube, 360 mm	IIb	9	11-502	42553
770-300	NightKNIFE set, 360 mm, COMFORT	IIb	9	11-502	42553
770-301	NightKNIFE set, exchangeable knife, 360 mm, COMFORT	IIb	9	11-502	42553
770-320	NightKNIFE, shaft tube, 200 mm	IIb	9	11-502	42553
770-336	NightKNIFE, shaft tube, 360 mm	IIb	9	11-502	42553
770-999	NightKNIFE, blade (5 pcs.)	IIb	9	11-502	42553
771-011	LIGATOR, jaw, straight, 110 mm	IIb	9	11-502	42553

REF	Product description	Class	Rule	UMDNS	GMDN
771-036	LIGATOR, jaw, straight, 360 mm	IIb	9	11-502	42553
771-120	NightKNIFE, jaw, 200 mm	IIb	9	11-502	42553
771-121	NightKNIFE, jaw, exchangeable knife, 200 mm	IIb	9	11-502	42553
771-136	NightKNIFE, jaw, 360 mm	IIb	9	11-502	42553
771-137	NightKNIFE, jaw, exchangeable knife, 360 mm	IIb	9	11-502	42553
772-011	LIGATOR, jaw, Maryland, 110 mm	IIb	9	11-502	42553
772-036	LIGATOR, jaw, Maryland, 360 mm	IIb	9	11-502	42553
773-000	NightKNIFE + LIGATOR set, COMFORT	IIb	9	11-502	42553
773-001	NightKNIFE + LIGATOR set, exchangeable knife, COMFORT	IIb	9	11-502	42553
775-000	ERGO 310D, Laparoscopic vessel sealer, Ø 5 mm, 340 mm	IIb	9	11-502	44684
795-145	BiZZER, bipolar scissors, 145 mm, curved, needle tip	IIb	9	13-484	44683
795-180	BiZZER, bipolar scissors, 180 mm, curved, needle tip	IIb	9	13-484	44683
795-545	BiZZER, bip. scissors, 145 mm, curved, needle tip, COMFORT, cable 4.5m	IIb	9	13-484	44683
795-580	BiZZER, bip. scissors, 180 mm, curved, needle tip, COMFORT, cable 4.5m	IIb	9	13-484	44683
796-170	BiZZER, bipolar scissors, 170 mm, curved	IIb	9	13-484	44683
796-570	BiZZER, bipolar scissors, 170 mm, curved, COMFORT, cable 4.5 m	IIb	9	13-484	44683
797-180	BiZZER, bipolar scissors, 180 mm, curved, slight	IIb	9	13-484	44683
797-230	BiZZER, bipolar scissors, 230 mm, curved, slight	IIb	9	13-484	44683
797-280	BiZZER, bipolar scissors, 280 mm, curved, slight	IIb	9	13-484	44683
797-580	BiZZER, bipolar scissors, 180 mm, curved, slight, COMFORT, cable 4.5 m	IIb	9	13-484	44683
797-630	BiZZER, bipolar scissors, 230 mm, curved, slight, COMFORT, cable 4.5 m	IIb	9	13-484	44683
797-680	BiZZER, bipolar scissors, 280 mm, curved, slight, COMFORT, cable 4.5 m	IIb	9	13-484	44683
798-145	BiZZER, bipolar scissors, 145 mm, curved, fine	IIb	9	13-484	44683
798-180	BiZZER, bipolar scissors, 180 mm, curved, fine	IIb	9	13-484	44683
798-230	BiZZER, bipolar scissors, 230 mm, curved, fine	IIb	9	13-484	44683
798-280	BiZZER, bipolar scissors, 280 mm, curved, fine	IIb	9	13-484	44683
798-545	BiZZER, bipolar scissors, 145 mm, curved, fine, COMFORT, cable 4.5 m	IIb	9	13-484	44683
798-580	BiZZER, bipolar scissors, 180 mm, curved, fine, COMFORT, cable 4.5 m	IIb	9	13-484	44683
798-630	BiZZER, bipolar scissors, 230 mm, curved, fine, COMFORT, cable 4.5 m	IIb	9	13-484	44683
798-680	BiZZER, bipolar scissors, 280 mm, curved, fine, COMFORT, cable 4.5 m	IIb	9	13-484	44683
800-001	NON-Stick knife electrode, shaft 2.4 mm, single-use, sterile (10 pcs.)	IIb	9	11-499	44684
800-002	NON-Stick needle electrode, shaft 2.4 mm, single-use, ster. (10 pcs.)	IIb	9	11-499	44684
800-003	NON-Stick ball electrode, shaft 2.4 mm, single-use, sterile (10 pcs.)	IIb	9	11-499	44684
800-004	NON-Stick knife el., 152 mm, shaft 2.4 mm, single-use, ster. (10 pcs.)	IIb	9	11-499	44684
800-005	NON-Stick ball el., 134 mm, shaft 2.4 mm, single-use, ster. (10 pcs.)	IIb	9	11-499	44684
800-007	Knife electrode, shaft 2.4 mm, single-use, sterile (5 pcs.)	IIb	9	11-499	44684
800-011	Needle electrode, shaft 2.4 mm, single-use, sterile (5 pcs.)	IIb	9	11-499	44684
800-021	Ball electrode, shaft 2.4 mm, single-use, sterile (5 pcs.)	IIb	9	11-499	44684
800-028	Knife electrode, 152 mm, shaft 2.4 mm, single-use, sterile (5 pcs.)	IIb	9	11-499	44684
800-030	Ball electrode, 136 mm, shaft 2.4 mm, single-use, sterile (10 pcs.)	IIb	9	11-499	44684
801-030	Handle, r. sw., knife, Ø 2.4 mm, 3-pin, 3 m, s-u, sterile (50 pcs.)	IIb	9	11-494	44681
802-030	Handle, 2 sw., knife, Ø 2.4 mm, 3-pin, 3 m, s-u, sterile (50 pcs.)	IIb	9	11-494	44681
802-032	SHE SHA Handle, 2 sw., knife, 3 m, s-u, sterile (10 pcs.)	IIb	9	11-494	44681
815-040	Neutral electrode, 40 cm ² , non-split (100 pcs)	IIb	9	11-500	11500
815-070	Neutral electrode, 70 cm ² , non-split (100 pcs)	IIb	9	11-500	11500

REF	Product description	Class	Rule	UMDNS	GMDN
815-110	Neutral electrode, 110 cm ² , non-split (100 pcs)	IIb	9	11-500	11500
815-140	Neutral electrode, 140 cm ² , non-split (100 pcs)	IIb	9	11-500	11500
816-042	Neutral electrode, 40 cm ² , split, EASY (100 pcs)	IIb	9	11-500	11500
816-071	Neutral electrode, 70 cm ² , split (100 pcs)	IIb	9	11-500	11500
816-072	Neutral electrode, 70 cm ² , split, EASY (100 pcs)	IIb	9	11-500	11500
816-092	Neutral electrode, 90 cm ² , split, EASY (100 pcs)	IIb	9	11-500	11500
816-112	Neutral electrode, 110 cm ² , split, EASY (100 pcs)	IIb	9	11-500	11500
816-141	Neutral electrode, 140 cm ² , split (100 pcs)	IIb	9	11-500	11500
816-161	Neutral electrode, 160 cm ² , split (100 pcs)	IIb	9	11-500	11500
816-162	Neutral electrode, 160 cm ² , split, EASY (100 pcs)	IIb	9	11-500	11500
817-040	Neutral electrode, 40 cm ² , non-split, with cable 3 m (15 pcs)	IIb	9	11-500	11500
817-070	Neutral electrode, 70 cm ² , non-split, with cable 3 m (15 pcs)	IIb	9	11-500	11500
817-110	Neutral electrode, 110 cm ² , non-split, with cable 3 m (15 pcs)	IIb	9	11-500	11500
817-140	Neutral electrode, 140 cm ² , non-split, with cable 3 m (15 pcs)	IIb	9	11-500	11500
818-042	Neutral electrode, 40 cm ² , split, with cable 3 m, EASY (15 pcs)	IIb	9	11-500	11500
818-071	Neutral electrode, 70 cm ² , split, with cable 3 m (15 pcs)	IIb	9	11-500	11500
818-072	Neutral electrode, 70 cm ² , split, with cable 3 m, EASY (15 pcs)	IIb	9	11-500	11500
818-092	Neutral electrode, 90 cm ² , split, with cable 3 m, EASY (15 pcs)	IIb	9	11-500	11500
818-112	Neutral electrode, 110 cm ² , split, with cable 3 m, EASY (15 pcs)	IIb	9	11-500	11500
818-141	Neutral electrode, 140 cm ² , split, with cable 3 m (15 pcs)	IIb	9	11-500	11500
818-161	Neutral electrode, 160 cm ² , split, with cable 3 m (15 pcs)	IIb	9	11-500	11500
818-162	Neutral electrode, 160 cm ² , split, with cable 3 m, EASY (15 pcs)	IIb	9	11-500	11500
830-000	TissueSeal, electrode tips, straight, toothed, s-u, sterile (5 sets)	IIb	9	11-499	44684
830-001	TissueSeal, electrode tips, straight, single-use, sterile (5 sets)	IIb	9	11-499	44684
830-010	TissueSeal, electrode tips, angled, toothed, s-u, sterile (5 sets)	IIb	9	11-499	44684
830-011	TissueSeal, electrode tips, angled, single-use, sterile (5 sets)	IIb	9	11-499	44684
900-100	Electrosurgical unit ARC 100	IIb	9	11-490	11490
900-250	Electrosurgical unit ARC 250	IIb	9	11-490	11490
900-303	Electrosurgical unit ARC 303	IIb	9	11-490	11490
900-350	Electrosurgical unit ARC 350 (REF 900-350)	IIb	9	11-490	11490
900-351	Electrosurgical unit ARC 350 (REF 900-351)	IIb	9	11-490	11490
900-390	Option LIGATION, for ARC 350 (REF 900-350)	IIb	9	11-490	11490
900-391	Option GastroCut, for ARC 350 (REF 900-351)	IIb	9	11-490	11490
900-392	Option Argon / GastroCut, for ARC 250 / 303	IIb	9	11-490	11490
900-395	Option Bipolar Resection, for ARC 400 / 350 (REF 900-351)	IIb	9	11-490	11490
900-396	Option LIGATION, for ARC 400 / 350 (REF 900-351)	IIb	9	11-490	11490
900-397	Europe Option ARC 303 (ERBE/MARTIN via adapter)	IIb	9	11-490	11490
900-398	Europe Option ARC 250 (ERBE/MARTIN via adapter)	IIb	9	11-490	11490
900-399	Option BipolarSimCOAG, for ARC 400	IIb	9	11-490	11490
900-400	Electrosurgical unit ARC 400	IIb	9	11-490	11490
900-901	Pressure reducer, for ARC PLUS (REF 900-000), DIN 477 no. 6	IIb	9	13-323	37025
900-902	Pressure reducer, for ARC PLUS (REF 900-000), DIN 477 no. 10	IIb	9	13-323	37025
900-903	Pressure reducer, for ARC PLUS (REF 900-000), CGA 580	IIb	9	13-323	37025
900-904	Pressure reducer, for ARC PLUS (REF 900-000), BS 341 no. 3	IIb	9	13-323	37025
900-906	Pressure reducer, for ARC PLUS (REF 900-001) and ARC 400, DIN 477 no. 6	IIb	9	13-323	37025

REF	Product description	Class	Rule	UMDNS	GMDN
900-907	Pressure reducer, for ARC PLUS (REF 900-001) and ARC 400, DIN 477 no. 10	IIb	9	13-323	37025
900-908	Pressure reducer, for ARC PLUS (REF 900-001) and ARC 400, CGA 580	IIb	9	13-323	37025
900-909	Pressure reducer, for ARC PLUS (REF 900-001) and ARC 400, BS 341 no. 3	IIb	9	13-323	37025
901-011	Single-pedal footswitch, with switch, cable 4 m	IIb	9	11-009	36336
901-012	Single-pedal footswitch for ARC 100, cable 4 m	IIb	9	11-009	36336
901-021	Double-pedal footswitch, cable 4 m	IIb	9	11-009	36336
901-031	Double-pedal footswitch with switch, cable 4 m	IIb	9	11-009	36336
901-032	Double-pedal footswitch with switch and clip, cable 4 m	IIb	9	11-009	36336
901-124	Accessory set, 2.4 mm	IIb	9	15-895	44683
901-125	ARC 100 set, 2.4 mm	IIb	9	15-895	44683
901-126	ARC 100 accessory set, 2.4 mm	IIb	9	15-895	44683
901-140	Accessory set, 4 mm	IIb	9	15-895	44683
932-031	Rigid Argon coagulation electrode, 75 mm	IIb	9	11-499	44683
932-032	Rigid Argon coagulation electrode, 150 mm	IIb	9	11-499	44683
932-034	Rigid Argon coagulation electrode, 370 mm	IIb	9	11-499	44683
932-035	Rigid Argon needle cutting and coagulation electrode, 100 mm	IIb	9	11-499	44683
932-036	Rigid Argon needle cutting and coagulation electrode, 150 mm	IIb	9	11-499	44683
932-042	Argon handle COMFORT, cable 3.5 m	IIb	9	11-494	44680
932-048	Flexible Argon probe, round pin plug, Ø 1.5 mm, 1.5 m	IIb	9	16-206	44683
932-049	Flexible Argon probe, round pin plug, Ø 2.3 mm, 2.2 m	IIb	9	16-206	44683
932-050	Flexible Argon probe, round pin plug, Ø 3.2 mm, 2.2 m	IIb	9	16-206	44683
932-051	Flexible Argon probe, round pin plug, Ø 1.5 mm, 3 m	IIb	9	16-206	44683
932-052	Flexible Argon probe, round pin plug, Ø 2.3 mm, 3 m	IIb	9	16-206	44683
932-055	Rigid Argon knife cutting and coagulation electrode, 100 mm	IIb	9	11-499	44683
932-058	Rigid Argon knife cutting and coagulation electrode, 150 mm	IIb	9	11-499	44683
932-059	Rigid Argon knife cutting and coagulation electrode, 370 mm	IIb	9	11-499	44683
932-060	Argon coagulation electrode, bendable 170 mm	IIb	9	11-499	44683
932-061	Argon coagulation electrode, bendable 250 mm	IIb	9	11-499	44683
932-062	Argon coagulation electrode, bendable 370 mm	IIb	9	11-499	44683
932-118	Flexible Argon probe, round pin plug, Ø 2.3 mm, 1 m	IIb	9	16-206	44683
932-148	Flexible Argon probe, Ø 1.5 mm, 1.5 m	IIb	9	16-206	44683
932-149	Flexible Argon probe, Ø 2.3 mm, 2.2 m	IIb	9	16-206	44683
932-150	Flexible Argon probe, Ø 3.2 mm, 2.2 m	IIb	9	16-206	44683
932-151	Flexible Argon probe, Ø 1.5 mm, 3.0 m	IIb	9	16-206	44683
932-152	Flexible Argon probe, Ø 2.3 mm, 3.0 m	IIb	9	16-206	44683
932-153	Flexible Argon probe, 90°, Ø 2.3 mm, 2.2 m	IIb	9	16-206	44683
932-154	Flexible Argon probe, Ø 2.3 mm, 1 m	IIb	9	16-206	44683
932-248	Flexible Argon probe, Ø 1.5 mm, 1.5 m, single-use, sterile (10 pcs.)	IIb	9	11-499	44684
932-249	Flexible Argon probe, Ø 2.3 mm, 2.2 m, single-use, sterile (10 pcs.)	IIb	9	11-499	44684
932-250	Flexible Argon probe, Ø 3.2 mm, 2.2 m, single-use, sterile (10 pcs.)	IIb	9	11-499	44684
932-251	Flexible Argon probe, Ø 1.5 mm, 3 m, single-use, sterile (10 pcs.)	IIb	9	11-499	44684
932-252	Flexible Argon probe, Ø 2.3 mm, 3 m, single-use, sterile (10 pcs.)	IIb	9	11-499	44684
932-253	Flexible Argon probe, 90°, Ø 2.3 mm, 2.2 m, single-use, sterile (10 pcs.)	IIb	9	11-499	44684